CO103 COSSTCKHI Социалистических Республик



Госудорственный канктет CECP na accase madacteuri m stapurmä

ОПИСАНИЕ 100953172 ИЗОБРЕТЕНИЯ

К АВТОРСКОМУ СВИДЕТЕЛЬСТВУ

(61) Дополнительное к авт. Фовид-ву —

(22) Заявлено 29.03.67 (21) 1145728/22-03

с присоединением заявки № ---

(23) Пркоритет —

Опубликовано 23.08.82. Бюллетень № 31 Дата опубликования описания 28.08.82

.13(088.8)

(51) M. Ka.3

(53) УДК 622.245.

E 21 B 7/20 E 21 D 3/00

E 02 D 7/00

(72) Astopu NAC TETERNA

Л. А. Юткин и Л. И. Гольцова

(71) SERBITERH

(54) СПОСОБ КРЕПЛЕНИЯ СТЕНОК СКВАЖИНЫ

Изобретение относится к горному делу, а именно к креплению стенок скважим обсадными трубами.

Известен способ крепления стенок скважины обсадной трубой, выполненной из тонкой металлической ленты [1].

Недостаток этого способа заключается в том, что для его осуществления требуется дополнительное оборудование для образования на ленты обсадной трубы.

Известен также способ крепления стенок скважины обсадной трубой, выполненной в виде уложенной по спирали металлической ленты, близлежащие слои которой располагают внахлест, при этом сама лента состоит из отдельных, расположенных 15 по днагонали, секторов, шарнирио связанных по коротким сторонам, а по длинным сторонам укреплены ребра жесткости [2].

Недостаток известного способа заключлется в том, что крепление стенок скважин осуществляется обсадной трубой, выполненной последовательным изращиванием отдельных секций, что требует затрат на изготовление каждой отдельной секции и их сборку.

Цель изобретения -- синжение затрат на строительство скважины за счет уменьшения расходов на обсадную трубу.

Поставленная цель достигается тем, что согласно способу обсадную трубу образуют путем спуска в скважину уложенной в ру-лон металлической ленты, наружный конец которой закрепляют на забое, а внутрениий вращают в направлении, противоположном навивке ленты с одновременным осеным перемещением его от забоя.

Кроме того, рудон может быть спущен в скважину частично развернутым в аксиальном направлении, причем диаметр его при этом меньше диаметра скважины.

Способ осуществляется следующим об-DASOM.

Металлическую ленту, предварительно уложенную в рулон, опускают на забой скважины, при этом наружный конец ленты отгибают от рулона под прямым углом и закрепляют на забое вдавлинанием в групт. Затем внутренний конец ленты рудона вращают в направлении, противоположном навивке ленты с одновременным осевым перемещением его от забоя. При этом происходит вытягивание рулона в длину и рас-

2

ширение витков рудола до стенок скважи-

При этом исталлическая лента укладывается по спирали в трубу, а для образова**гия прочной трубы, не допускающей дрени**рование воды, близлежащие слои металлической лекты располагают внажлест.

Наружный конец ленты, который выходит на устые скважины, закрепляют вналогично внутрениему, вдаванвая в грунт отогнутый комец ленты.

Металянческую ленту, уложенную в рулон, предварительно перед спуском в скважику можно частично развернуть в аксиальном направлении, причем диаметр этого рулона также как и предыдущего должен быть меньше дивистра скважины.

Технико-экономическая эффективность предлагаемого способа заключается в ускоренном строительстве скважин и умень-

шении связаними с ним расходов.

Формула изобретения

1. Способ крепления стенок скважины обсядной трубой, выполненной в виде уло-

женной по спирали металлической жины, близлежащие слон которой располагают внажлест, отличающийся тем, что, с целью снижения затрат на стронтельство скважины за счет уменьшения расходов на обсадную трубу, последнюю образуют путем спуска в скважину уложенной в рулои металлической денты, наружный конец которой закрепляют на забое, а внутренний вращают в направлении, противоположном навивке ленты с одновременным осеным перемещением его от забоя.

2. Способ по п. і, отличающийся тем, что рудон спускают в скважину частично развернутым в вксиальном направлении, причем диаметр его меньше диаметра скиа-MAKE.

Источники информации, принятые во внимание при экспертизе 1. Патент ФРГ № 118492, кл. 5 a 17/X), опублик. 1956.

2. Авторское свидетельство СССР № 126093, кл. Е 21 D 3/00, 1959 (прототип).

Составитель В. Родиня Корректор М. Коста Подвисное Редактор Л. Филиппова Texpes A. Softac 3amas 5860/53 Tupam 623 ВНИИПИ Государственного комитета СССР по дедам изобретений и открытий 113035, Москва, Ж.—35, Раушевая наб., д. 4/5 Филиал ППП «Патент», г. Ужгород, ул. Проектиал, 4

Union of Soviet Socialist Republics	SPECIFICATION OF INVENTOR'S CERTIFICATE	(11) 953172
[state seal]	(61) Inventor's certificate of addition —	4.3
	(22) Applied March 29, 1967 (21) 1145728/22-03 with the attachment of application No	(51) Int. Cl. ³ E 21 B 7/20 E 21 D 3/00 E 02 D 7/00
USSR State Committee on Inventions and Discoveries	(23) Priority -	
	Published August 23, 1982, Bulletin No. 31 Publication date of specification August 28, 1982	(53) UDC 622.245. .13 (088.8)
(72) Inventors L. A. Yutkin and L. I. Gol'tsova and		
(71) Applicants		· · · · · · · · · · · · · · · · · · ·

(54) METHOD FOR CASING A BOREHOLE

1

The invention relates to mining, and specifically to casing boreholes.

A method is known for casing a borehole with a casing made from a thin metal strip

[1].

A disadvantage of this method is that to implement it, additional equipment is required to form the casing from strip.

A method is also known for casing a borehole with a casing implemented in the form of a spiral-wound metal strip, the adjacent layers of which overlap; here the strip itself consists of individual, diagonally placed sectors with hinged connection along the short sides, and stiffening ribs are fastened along the long sides [2].

A disadvantage of the known method is that borehole casing is accomplished with a casing implemented by successive splicing of individual sections, which requires expenditures for manufacture of each individual section and their assembly.

The aim of the invention is to reduce borehole construction costs by reducing expenses for the casing.

The proposed aim is achieved by the fact that, according to the method, the casing is formed by lowering into the borehole a metal strip wound into a coil, the outside end of which is anchored to the bottom of the borehole while the inside end is rotated in the direction opposite to the winding of the strip, with its simultaneous axial displacement away from the bottom of the borehole.

Furthermore, the coil may be lowered into the borehole partially unrolled in the axial direction; its diameter in this case is smaller than the diameter of the borehole.

The method is implemented as follows.

A metal strip, prewound into a coil, is lowered to the bottom of the borehole; the outside end of the strip is bent away from the coil at a right angle and is anchored to the bottom by forcing it into the ground. Then the inside end of the coil strip is rotated in the direction opposite to the winding of the strip, with its simultaneous axial displacement away from the bottom. In this case, the coil is pulled lengthwise and

953172

3

the turns of the coil expand to the walls of the borehole.

Here the metal strip is spiral-wound into a tube, and to form a strong tube that will not permit water drainage, adjacent layers of the metal strip are overlapped.

The outside end of the strip, which emerges at the mouth of the borehole, is anchored in the same way as the inside end, by forcing the bent end of the strip into the ground. [sic, possibly reversed outside and inside]

The coiled metal strip may be partially unrolled in the axial direction before being lowered into the borehole; the diameter of this coil, as in the preceding case, must be less than the diameter of the borehole.

The technical and economic advantages of the proposed method come from faster construction of boreholes and reduced expenses connected with such construction.

Claims

1. A method for casing a borehole with a casing implemented in the form of

a spiral-wound metal strip, the adjacent layers of which are overlapped, distinguished by the fact that, with the aim of reducing borehole construction costs by reducing expenses for the casing, the latter is formed by lowering into the borehole a metal strip wound into a coil, the outside end of which is anchored to the bottom of the borehole while the inside end is rotated in the direction opposite to the winding of the strip with its simultaneous axial displacement away from the bottom of the borehole.

2. A method as in Claim 1, distinguished by the fact that the coil is lowered into the borehole partially unrolled in the axial direction, while its diameter is less than the diameter of the borehole.

Information sources considered in the examination

- 1. FRG Patent No. 118492, cl. 5 a 17/00, published 1956.
- 2. USSR Inventor's Certificate No. 126093, cl. E 21 D 3/00 (1959) (prototype).

Compiler V. Rodina

Editor L. Filippova Tech. Editor A. Boykas
Order 5860/53 Run 623

Proofreader M. Kosta
Subscription edition

All-Union Scientific Research Institute of Patent Information and Technical and Economic Research of the USSR State Committee on Inventions and Discoveries [VNIIPI]

4/5 Raushkaya nab., Zh-35, Moscow 113035

Affiliate of "Patent" Printing Production Plant, Uzhgorod, 4 ul. Proektnaya



AFFIDAVIT OF ACCURACY

I, Kim Stewart, hereby certify that the following is, to the best of my knowledge and belief, true and accurate translations performed by professional translators of the following patents/abstracts from Russian to English:

ATLANTA BOSTON BRUSSELS CHICAGO DALLAS FRANKFURT HOUSTON LONDON LOS ANGELES MIAMI MINNEAPOLIS **NEW YORK** PARIS PHILADELPHIA SAN DIEGO SAN FRANCISCO

SEATTLE WASHINGTON, DC

Patent 953172 Abstract 976020 Patent 1686124A1 Patent 1747673A1

Kim Stewart

TransPerfect Translations, Inc. 3600 One Houston Center 1221 McKinney

Houston, TX 77010

Sworn to before me this 14th day of February 2002.

Signature, Notary Public

OFFICIAL SEAL MARIA A. SERNA NOTARY PUBLIC the for the State of Texas " " " spires 03-22-2003

Stamp, Notary Public

Harris County

Houston, TX